SAFETY DATA SHEET

1. Identification

Product identifier Hercules Glug Bath - Liquid

Other means of identification

7303E Product code

Synonyms Part Numbers: 20450, 20455

Recommended use Liquid Drain Cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name

HCC Holdings, Inc. an Oatey Affiliate Address 4700 West 160th Street

Cleveland, OH 44135

Telephone 216-267-7100

E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015 Contact person **MSDS** Coordinator

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1C

Serious eye damage/eye irritation Category 1

OSHA defined hazards

Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective Prevention

clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Store locked up. Storage

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name CAS number Water 7732-18-5 60-100

Hercules Glug Bath - Liquid

SDS US

925656 Version #: 01 Revision date: - Issue date: 22-April-2015

Potassium hydroxide	1310-58-3	1-5
Silicic acid, sodium salt	1344-09-8	1-5
Sodium hypochlorite	7681-52-9	1-5
Sodium hydroxide	1310-73-2	0.5-2
Other components below reportable levels		4.6

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret,

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth, Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Ingestion

Most important symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Hercules Glug Bath - Liquid SDS US 2/8 Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values

Components	Туре	Value	
Potassium hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
Potassium hydroxide (CAS 1310-58-3)	TWA	2 mg/m3	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
Sodium hypochlorite (CAS 7681-52-9)	STEL	2 mg/m3	***

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Other

Hand protection

Wear appropriate chemical resistant gloves.
Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Clear.
Odor Chlorine.
Odor threshold Not available.
pH 12.4

Melting point/freezing point Not available.

Initial boiling point and boiling 212 °F (100 °C)

range

Flash point > 212.0 °F (> 100.0 °C)

Hercules Glug Bath - Liquid

925656 Version #: 01 Revision date: - Issue date: 22-April-2015

SDS US
3 / 8

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

i voi avallabic.

Relative density

Not available.

Solubility(ies)

1.125

Solubility (w

Solubility (water)

Not available.

Partition coefficient

Not available.

(n-octanol/water)

Not available.

Auto-ignition temperature

Decomposition temperature

Not available.

Viscosity

10 cP

Other information

VOC (Weight %)

0 g/l

10. Stability and reactivity

Reactivity

Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Incompatible materials Do not mix with other chemicals. Contact with incompatible materials. Acids. Oxidizing agents.

moompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation

May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact

Causes severe skin burns.

Eye contact Ingestion Causes serious eye damage. Causes digestive tract burns.

Symptoms related to the physical, chemical and

toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Potassium hydroxide (CAS 1310-58-3)

Acute

Oral LD50

Rat

273 mg/kg

Silicic acid, sodium salt (CAS 1344-09-8)

Acute

Oral

LD50

Mouse

1100 mg/kg

Hercules Glug Bath - Liquid

925656 Version #: 01 Revision date: - Issue date: 22-April-2015

Components Species		Test Results	
	Rat	1.1 g/kg	
Sodium hypochlorite (CAS	7681-52-9)		
Acute			
<i>Dermal</i> LD50	Rabbit	> 20000 mg/kg	
Inhalation LC50	Rat	> 10.5 mg/l, 1 Hours	
<i>Oral</i> LD50	Rat	8.91 g/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium hypochlorite (CAS 7681-52-9)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Silicic acid, sodium sa	It (CAS 1344-09-8)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.28 - 0.57 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours
Sodium hypochlorite (CAS 7681-52-9)		
Aquatic			
Algae	LC50	Green algae (Dunaliella primolecta)	0.4 mg/l
		Red algae (Porphyra yezoensis)	2.3 mg/l, 10 days

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Hercules Glug Bath - Liquid SDS US 5/8 925656 Version #: 01 Revision date: - Issue date: 22-April-2015

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal instructions

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN3266 **UN** number

Corrosive liquid, basic, inorganic, n.o.s. (Sodium hypochlorite RQ = 2273 LBS, Potassium UN proper shipping name

hydroxide RQ = 55556 LBS)

Transport hazard class(es)

8 Class Subsidiary risk Label(s) 8 П Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

B2, IB2, T11, TP2, TP27 Special provisions

Packaging exceptions 154 202 Packaging non bulk 242 Packaging bulk

IATA

UN3266 **UN** number

Corrosive liquid, basic, inorganic, n.o.s. (Sodium hypochlorite, Potassium hydroxide) UN proper shipping name Transport hazard class(es)

8 Class Subsidiary risk П Packing group **Environmental hazards** No.

8L **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN3266 **UN** number

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, Potassium hydroxide)

8 Class Subsidiary risk 11

Packing group **Environmental hazards**

No. Marine pollutant **EmS** F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication US federal regulations

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SDS US Hercules Glug Bath - Liquid 6/8

CERCLA Hazardous Substance List (40 CFR 302.4)

Potassium hydroxide (CAS 1310-58-3) LISTED Sodium hydroxide (CAS 1310-73-2) LISTED Sodium hypochlorite (CAS 7681-52-9) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Hazard categories

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Potassium hydroxide (CAS 1310-58-3) Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. New Jersey Worker and Community Right-to-Know Act

Potassium hydroxide (CAS 1310-58-3) Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium hydroxide (CAS 1310-58-3) Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. Rhode Island RTK

Potassium hydroxide (CAS 1310-58-3) Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

On inventory (yes/no)* Country(s) or region Inventory name Domestic Substances List (DSL) Yes Canada No Non-Domestic Substances List (NDSL) Canada Toxic Substances Control Act (TSCA) Inventory Yes United States & Puerto Rico

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

22-April-2015 Issue date

Revision date Version # 01

Hercules Glug Bath - Liquid SDS US 7/8 HMIS® ratings

Health: 3 Flammability: 0 Physical hazard: 0

NFPA ratings



Disclaimer

HCC Holdings Inc. an Oatey Affiliate cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Hercules Glug Bath - Liquid

SDS US